



Study of Physicochemical Parameters of Belgaon Freshwater Reservoir of Aasthi Tahsil, Beed District. (MS). India.

¹Onhal S. D., ²K. R. Reddy, ³Garkwad S.B, ⁴Kharat P.S, ⁵Varsha Tripathi
 *Research Student, ²Professor, ³Research Student, ⁴Assistant Professor, ⁵Student
 Department of Zoology,

Dr. Bahasaheb Ambedkar Marathwada University, Aurangabad (M.S.) – 431 004, India.

Abstract : The study was administered throughout the year 2016 to 2017 and 2017 to 2018 to analyze the monthly physico-chemical parameters includes Air temperature, water temperature, transparency, pH, free CO₂, total hardness, Alkalinity, chlorides and dissolved oxygen. The present study deals with the physico-chemical investigation of Belgaon freshwater reservoir. The water is used for irrigation of the nearby agriculture fields. The results showed that each one the parameters are within the permissible limit and monthly variation was detected during the study period. The monthly analysis over the period of two years suggests that the water of Belgaon Reservoir is suitable for agriculture, drinking, fish culture, and domestic uses.

Keywords: Physico-chemical parameters, freshwater, reservoir, Belgaon.

I. INTRODUCTION

Ever since the pre-historic times man has been intimately associated with water¹. Water is a basic and primary need of all vital processes and it is now well established that the life first arose in aquatic environment². The physicochemical analysis is that the prime thought to assess the standard of water for its best utilization like drinking, irrigation, fisheries, and industrial purpose and useful in understanding the complicated processes, an interaction between the environmental condition and biological processes within the water³. The freshwater comes on the land by hydrological cycling process. It is consumable, useful, healthy and clean water for the organisms living on the land. The entire life of the organisms on the land, their evolution and development depends on desirable quality of freshwater. The certain useful contents existing on the natural and are mixing in the water. The water with some definite concentration of mixed contents from land becomes very suitable for drinking. Such water becomes basic need of all land and aquatic organisms. This exists in rivers, streams, ponds, lakes, reservoirs, tanks, pools, marshes, bogs and even underground water forms. This freshwater is a base for all organisms. According to ⁴Pollution of water is measured by assessing the physiochemical Parameters of water⁵. There are trends in developing countries to use waste matter effluent as fertilizer has gained abundant importance because it is taken into account a supply of organic matter and plant nutrients and is smart plant food⁶. However, the usage of water by man for survival is as necessary as that of fish. Since 'good' water quality will manufacture healthier humans than one with 'poor' water quality. Limnological investigations of reservoirs are necessary to evaluate potential fish production and to supply information that might be helpful in fisheries developmental designing. Keeping these aspects in sight several limnological studies are carried out on reservoirs everywhere the country⁷. Industrial development (Either new or existing trade expansion) leads to the generation of industrial effluents, and if untreated results in water, sediment and soil pollution⁸. Individuals on the globe are below tremendous threat because of unwanted changes within the physical, chemical and biological characteristics of air, water, and soil. These are associated with animal and plants and eventually affecting that⁹.

RESEARCH METHODOLOGY

2.1. Study Area:

During this study, Belgaon reservoirs were chosen from the Ashti Tehsil of Dist: Beed. (M.S). Water samples were collected on a monthly basis throughout 8 am to 11 am in the morning, from three different sampling sites of the reservoir and delivered to the laboratory with the assistance of airtight plastic containers of ten liters capability. Water samples were analyzed for numerous physio-chemical parameters. (Kodarkar et al; 1998, Trivedy and Goel, 1984 and APHA, 1985).

2.2. Temperature (°C):

The atmospheric temperature and water temperature was recorded by Centrifuge mercury-in-glass thermometer (Graduated from 0 °C to 110 °C).

2.3. pH scale (Hydrogen ion Concentration):

The water pH scale determined by field pH scale meter (Hanna -Model Champ).

2.4. Light Transparency (cms):

Light Transparency of water was measured by a Secchi disc.

2.5. Chlorides (mg/l):

Chlorides were determined by the method represented by Trivedi and Goel (1988).

2.6. Free carbon dioxide (mg/l):


Chlorides were titrated by the method described by Trivedi and Goel (1986).


2.7. Total Dissolved Solids (mg/l):

Total Dissolved Solids (TDS) and total suspended solids (TSS): the whole dissolved solids (TDS) were analyzed in the laboratory because the residue left after evaporation of the filtered water samples whereas suspended solids were analyzed by calculating the distinction between total solids and total dissolved solids (TSS= TS- TDS).

2.8. Total hardness (mg/l):

The total hardness was analyzed by using the standard technique as described by APHA (1992).


PRINCIPAL
 Nutan Mahavidyalaya
 SELU, Dist. Parbhani



3.1. Water Temperature

Water temperature is one of the physical chemical and hydrological parameters of water elements of the aquatic system. The atmospheric temperature and water temperature varies in between 16.0°C to 15.5°C in the year 2016-17 and 16.0°C to 32.5°C in the year 2017-18 respectively. Similar results were commonly determined by¹⁶. Finally, discovered that the study showed fluctuation between 16% to 35% from January to December 2018. As expected summer months like March, April and May recorded high temperature and winter with low temperature temperature changes were additionally noted throughout the observation. According to Weltz ^{17,18}, the response of water temperature to air temperature depends on the dimensions of the water body.

3.2. Water Temperature:

Water temperature is important parameter and it affects the chemical and biological changes in the aquatic organisms¹⁹. Water temperature affects the dispersion and reproduction of living organisms. In the present study the average water temperature values lie between 16.0°C to 26.0°C in the year 2016-17 and 17.63°C to 28.8°C in the year 2017-18 respectively.¹⁹ Observed that water temperature fluctuates between 16°C to 28°C during limnological studies of Udaipur lakes.²⁰ Observed during their study water temperature fluctuated between 22.02°C to 26.0°C in the Alisagar and Ashok Sagar lakes temperature of the water was measured at ± 1 °C accuracy by thermometer at the spot.

3.3. Transparency:

The transparency is important in determining the productivity of the water body. Sunlight have played a very important role in turbidologic optics (Brenander et al., 1986). Average range of Transparency values recorded between 53.67cm to 180.33 in the year 2016-17 and 50.23 to 142.00 in the year 2017-18 respectively. The monthly variation in transparency ranges between 32.5 cm to 62 cm, with an average of 45.06 cm.²¹ Due to dissolved and its dissolved inorganic and organic material water get turbid and results in the lower transparency. Similar trend has given by²².

3.4. pH:

Changes within the pH scale value of water are necessary to several organisms. Most organisms have adapted to life in water of particular pH scale and will die if it changes even slightly. This is very true of aquatic macroinvertebrates and fish eggs and larvae. The pH scale could be an important issue determining the health of a waterway (<http://www.water-research.net/index.php/ph-in-the-environment>). During present study the average value of pH observed in the Balagao reservoir during study period 2016-2017 ranged between 07.32 mg/l to 08.16 mg/l, while during the study period 2017-2018, and the average value of pH observed in the reservoir it ranged between 07.35 mg/l to 07.75 mg/l respectively. pH values are in accordance with earlier work observed Maximum and minimum values of 8.9 and 7.3 were recorded in the Anasagar Lake, Ajmer, Rajasthan lake water²³. Recorded pH ranged between 7.09 to 8.10 during the year 2008-09.²⁴ Reported that the value of pH ranges from 8 to 9 in Indian waters²⁵ studied the Mansarovar reservoir and recorded the pH in a range of 7.2 to 9.5.²⁶ Observed the minimum pH was recorded in the month of January and the maximum in the month of June during the year 2008-2009.

3.5. Free CO₂:

Free CO₂ is essential for the growth and development of flora and fauna. It depends on the respiration of living organisms. Although CO₂ is a minor component of air it is abundant in water because of its solubility which is 30 times more than that of oxygen, and the amount of CO₂ in water normally shows an inverse relationship with oxygen²⁷. The Free CO₂ average values fluctuate from 3.39 mg/l to 10.36 mg/l in the year 2016-17 and 03.19 mg/l to 10.29 mg/l in the year 2017-18. Similarly, recorded the range between 1.7 mg/ltr to 2.8 mg/ltr from Alisagar dam.²⁸ Reported a minimum CO₂ 4.40 mg/ltr in a month of June and maximum 44.0 mg/ltr in the month of August from a religious lake Budha Pushkar near Ajmer, Rajasthan.

3.6. Total Hardness:

The term "hardness" is applied to the soap neutralizing power and increases the boiling point of water (<http://sciencefairwater.com/chemical-water-quality-parameters/primary-anions-and-cations/hardness/>). The average values of Total Hardness fluctuate from 37.96 mg/l to 67.36 mg/l in the year 2016-17 and 40.16 mg/l to 69.64 mg/l in the year 2017-18.²⁹ Stated that the total hardness ranged from 180-240 mg/l in different seasons total hardness ranged between 73.00 mg/ltr to 157.00 mg/ltr during the year 2008-09.³⁰ Reported the range of hardness between 76.3 ppm to 172 ppm in Sadatpur reservoir at Ahmednagar. The minimum total hardness was recorded in the month of February and maximum in the month of May.³¹ Reported that hardness was high throughout summer than rainy season and winter season.³² Observed the range of total hardness 230 mg/l to 457 mg/L with no significant variation.

3.7. Alkalinity:


In water chemistry, alkalinity is defined as the capacity of the solution to neutralize an acid. Alkalinity is commonly reported in terms of a similar amount of carbonate. However, a more meaningful and useful statement of the alkalinity is obtained by expressing the results of the determination as concentrations of bicarbonate and carbonate. (<http://sciencefairwater.com/chemical-water-quality-parameters/ph-alkalinity>). The average values of Alkalinity fluctuate from 56.67 mg/l to 134.67 mg/l in the year 2016-17 and 59.67 mg/l to 153.67 mg/l in the year 2017-18. Increase in atmospheric temperature and the consequent increase in the photosynthetic process in the hot season, alkalinity values usually decrease in summer. The alkalinity below 50 mg/l indicates low photosynthetic rate³³. A similar trend of inclined alkalinity during winter was given by³⁴ and³⁵. Parallel range and similar trends were recorded by³⁶. The values of total alkalinity in Bernal water body fluctuated from 138.3 to 301.8 mg/l and 132.5 to 280.1 mg/l during the first and second year, respectively³⁷.

3.8. Chlorides:

Chloride is a very important parameter in assessing water quality. It controls the salinity of water and osmotic stress on biotic communities³⁸. The average values of Chlorides fluctuate from 15.81 mg/l to 65.18 mg/l in the year 2016-17 and 16.87 mg/l to 66.24 mg/l in the year 2017-18. A similar trend of chloride ion concentration was given by³⁹. The chlorides ranged from 59.6 to 19.88 mg/l with the highest concentration in post monsoon period and therefore the minimum was seen during the monsoon period as a result of the constant dilution by rains⁴⁰–⁴¹. The monthly variation within the chloride values range between 14.2 mg/l and 36.83 mg/l⁴². Recorded chloride content ranged between 37.22 to 51.13 mg/lit and 35.50 to 49.40 mg/lit during 2005-06 and 2006-2007 respectively.

3.9. Dissolved Oxygen:

Dissolved oxygen refers to the amount of free, non-combined oxygen present in water or different liquids. It is a very important


PRINCIPAL
Nutan Mahavidyalaya
SELU, Dist. Parbhani



study of lakes), dissolved oxygen is an essential factor second only to water itself". The average values of Dissolved oxygen fluctuate from 03.80 mg/l to 14.12 mg/l in the year 2016-17 and 03.64 mg/l to 14.61 mg/l in the year 2017-18. "Observed during his study that the monthly variations in dissolved oxygen values range from 6.4 mg/l to 13.2 mg/l. "Observed the dissolved oxygen values fluctuate from 3.6 mg/l to 15.2 mg/l. According to "the monthly variations in dissolved oxygen values range from 6.4 mg/l to 13.2 mg/l at Khamapur reservoir.

Table 1.1: Monthly Average Values of Physico-chemical Parameters of Belgaum Reservoir during the study year 2016-2017 and 2017-2018.

Sr. No.	Parameters	Study Period	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
1	Air Temperature	2016-17	23.17	25.67	30.13	32.33	27.47	23.33	24.27	23.03	22.63	22.33	19.60	19.03
		2017-18	23.63	25.43	31.20	32.23	27.67	23.47	24.60	23.80	24.47	22.97	20.27	20.93
2	Water temperature	2016-17	22.00	25.17	27.13	29.03	25.87	20.93	23.17	21.63	19.43	18.27	16.10	16.93
		2017-18	22.73	22.73	27.03	27.83	26.63	21.50	23.67	22.30	19.97	19.10	17.63	18.07
3	Transparency	2016-17	153.67	119.67	45.33	52.33	64.00	78.67	99.67	112.67	137.67	170.33	167.67	164.67
		2017-18	137.00	102.67	56.33	69.33	79.33	97.67	103.33	117.67	134.67	162.00	160.33	153.67
4	pH	2016-17	7.45	7.64	7.42	7.38	7.34	7.38	7.50	7.59	7.70	8.16	7.22	7.45
		2017-18	7.55	7.56	7.73	7.65	7.43	7.35	7.70	7.62	7.54	7.75	7.46	7.65
5	Free CO ₂	2016-17	3.55	4.46	5.19	4.79	5.60	6.42	10.36	9.81	6.52	5.65	4.39	3.39
		2017-18	3.19	4.47	5.29	4.62	5.84	6.24	10.29	8.92	6.30	5.83	5.43	3.50
6	Total Hardness	2016-17	37.96	44.26	61.46	73.69	67.36	64.46	62.44	57.66	54.57	51.72	49.40	47.42
		2017-18	40.16	46.31	63.25	69.54	75.68	66.43	64.37	59.38	56.43	53.54	51.47	49.30
7	Alkalinity	2016-17	56.67	83.67	64.67	86.67	124.67	74.67	72.67	130.67	134.67	128.33	89.67	84.67
		2017-18	86.67	59.67	67.67	89.67	127.67	77.67	75.67	133.67	153.67	137.67	92.67	87.67
8	Chlorides	2016-17	37.95	38.68	65.18	54.01	50.55	48.25	15.81	26.51	47.75	45.68	39.55	39.21
		2017-18	39.01	39.74	66.24	55.07	51.61	49.31	16.87	27.57	48.81	46.74	40.61	40.27
9	Dissolve O ₂	2016-17	9.97	10.52	5.81	5.61	5.77	4.78	4.69	3.80	8.84	7.52	14.12	11.44
		2017-18	10.28	10.91	6.17	6.03	5.62	4.70	5.04	3.64	8.59	7.33	14.64	11.19

All the values were subjected for analysis of variance not significant at ($P < 0.05$)

All parameters are in mg/l except Temperature (°C), Transparency (cm)

IV. Conclusion: As all parameters are within the acceptable limit, it can be concluded that water from Belgaon reservoir can be used for irrigation purpose, drinking, fish culture, healthy water body for the growth aquatic organisms and of especially for future domestic purposes.

REFERENCES

1. S. R. Patil, et.al. 2013. Rasayan Journal of Chemistry, 2013, 6 (1): 76-79.
2. S. R. Patil, et.al. 2012. Environment and Ecology, 2012, 30 (2): 376-379.
3. Sachinkumar Patil. 2013. IJSET, 2013, 2 (6): 1163-1174.
4. Patil, S. R., Sawant, R. S., Patil, S. S., Sathe, T. V. and Patil, R. S. 2013. Avian fauna and Physico-chemical Parameters of Gajargao Pond of Ajara Tahsil, Kolhapur (M. S.). Rasayan J. Chem. 6(1):76-79.
5. N. Latha and Ramachandra Mohan. 2014. Studies on the enviro-ecological status of Kommagatta Lake of Bangalore, Karnataka, Indian Hydrobiology, 12 (2): 126-129.
6. Riordan, O', E. G., Dodd, V. A., Tunney, H., Fleming, G. A. 1983. The chemical composition of sewage sludges, Ireland Journal of Agriculture Research, 25, 239-49.
7. CIFRI. 2000. Guidelines for small reservoirs fisheries management in India, Bulletin no,93, Feb-2000.
8. Chouhan, C.S. and Sharma K.C. 2007. Limno-biotic of a religious Lake Budha Pushkar near Ajmer, Rajasthan, NSL: Pp.227 - 230.
9. Ganesan, S. and Mazher Sultana. 2009. A baseline study of physico- chemical parameters and some trace metals in water Chrompet Lake, Chennai, India. I. Aquat. Biol. Vol 24 (2) Pp. 131-141.

PRINCIPAL
Nutan Mahavidyalaya
SELU, Dist. Parbhani





2. Jayabhave, S. & Joshi, S. G. 2008. The environmental parameters and biodiversity diversity of Phulegaon Lake, Maharashtra. Vol. 14, pp. 20-31.
3. Sathish, S. 2012. Study of the physico-chemical parameters of Bhushal River. Aayogabhav (N.S.) Proceeding of International Conference SWRTEC 2012.
4. Patil, P.K., Dopte, R. & Sawant, R. V. 2008. Impact of change on the Freshwater ecosystem. Int. J. Ecol. and Envir. Sci. 6: 97-116.
5. Sharma, M. & Ishaq, T. 2009. Study of Biodiversity of Freshwater zooplankton in relation to heavy metal pollution. Natl. Res. 2009, pp. 247-257.
6. Naga Samruddha. 2014. Study of physico-chemical parameters of Alisagar and Adlok Sagar Lakes of Nizamabad district, Telangana. International Journal of Recent Scientific Research Vol. 1(4) Issue: 01(4), pp. 10130-10131, January 2014.
7. Vaikun Sawant 2013. International Journal of Science, Environment and Ecology, Vol. 2, No. 4, 2013, 1196 - 1204.
8. Patil, Rahul & Patil, Sachinkumar & Sawant, Rajaram. 2015. Limnological Status of Maligre Freshwater Reservoir of Ajara Taluk, Kolhapur District (MS), India. The International Journal of Science and Technoledge. 3: 113-116.
9. Sawant, R. S., A. B. Telke, P. D. Desai and I. S. Desai. 2001. Variations in hydrobiological properties of Sarali pond in Ajara taluk (Kolhapur) of Maharashtra Dist. and Env. 29 (3A): 1338-1342.
10. Gurjari Ranjani, N.P. Singh and R.B. Singh. 2007. Physico-chemical characteristics of Choriyarwa pond of Biranji, Nepal in relation to the growth of phytoplankton. Natl. Envi. And Poll. Tech. 6(4): 629-632.
11. Atul Jain. 2013. Limnological Studies Related to Physico-Chemical Characteristics of Water in Anusagar Lake, Ajmer, Rajasthan. International Journal of Advanced Research and Innovation Volume 1, Issue 1 (M) 65-72.
12. U. W. Pale. 2017. Study of physico-chemical characteristics of Sarangpuri Lake, Dist-Wardha (MS). Jrb at. vol. V, issue (3), Jan. - 2017.
13. Wetzel, R.G. 1975. Limnology. W. B. Saunders Co, Philadelphia, USA. 74, 1975.
14. Kulshrestha, S.K., et.al 1992. Seasonal variations in the limnological characteristic of Mansarovar reservoir of Bhopal.
15. Kulkarni, S. D 1995. Diurnal changes in physicochemical characteristics of Sadatpur reservoir J. Aquat. Biol. 10 (1) Pp. 23 - 23.
16. Radhika, C.G., L Mini & T. Gangadevi. 2004. Studies on abiotic parameters of a tropical freshwater lake – Vellayani Lake, Trivandrum, Kerala, Poll. Res. 23(1).
17. Rama, Devi, T. 2007. Study of some aspects of Hydrobiology of Alisagar Dam water, Ph.D. Thesis submitted, Swami Ramanand Teerth, Marathwada University, Nanded.
18. Chouhan, C.S. and Sharma K.C. 2007. Limno-biotic of a religious Lake Bulha Pushkar near Ajmer, Rajasthan. NSL: Pp.227 - 230.
19. M.John Mohammad .2015. Analysis of Water Quality using Limnological Studies of Wyra Reservoir, Khamman District, Telangana, India. Int.J.Curr.Microbiol.App.Sci (2015) 4(2): 880-895.
20. Kulkarni, S. D.1995. Diurnal changes in physicochemical characteristics of Sadatpur reservoir J. Aquat. Biol. 10 (1): Pp. 21 - 23.
21. Hujare, M.S., 2008. Seasonal variation of physico-chemical parameters in the Perennial tank of Talsande, Maharashtra, Ecotoxicology and Environmental Monitoring, 18(3), pp 233-242.
22. Thomas, D.R. Sunil B. and Latha C. (2011): Physico chemical analysis of well water at Eloor industrial area Seasonal study. J. Cur. Wol. Env, Vol 6(2); Pp. 259.
23. Jackson D F. 1961. Comparative studies on phytoplankton photosynthesis in relation to total alkalinity. Verh. Int. Ver.Limnol, 14, 125-133.
24. N. Latha and Ramachandra Mohan. 2014. Studies on the enviro-ecological status of Kommagatta Lake of Bangalore, Karnataka. Indian Hydrobiology, 12 (2): 126-129.
25. Kaul, V. and J.K. Handoo. 1980. Physicochemical characteristics of Nilang-a high altitude forest Lake of Kashmir and its comparison with valley lakes. Proc Indian National Science Acad. B. 46 (4): 528-541.
26. Patil, Sachinkumar, S. S. Patil, T. V. Sathe. 2013. Limnological Status of Khanapur freshwater reservoir from Ajara Taluk, Kolhapur District (MS), India. IJSE, Vol. 2 (6): 1163-1174.
27. Patil Alaka. 2014. Limnological and Correlation Studies of Birnal Water Body of Sangli, Maharashtra. Int. Res. J. Environment Sci. Vol. 3(9), 43-49, September (2014).
28. Banarjee S.M.1967. Water quality and soil condition of fishponds in states of India in relation to fish production. Indian J. Fisheries, 14 (1 & 2): 115-144.
29. R. K. Garg 2010. Seasonal variations in water quality and major threats to Ramsagar reservoir, India. African Journal of Environmental Science and Technology Vol. 4(2), pp. 061-076, February 2010.
30. Gayatri Oak,et.al. 2013. Phytoplankton enumeration with respect to water parameters of Kurul lake-Alibagh, Dist. Raigad, Maharashtra. National Conference on Biodiversity: Status and Challenges in Conservation - 'FAVEO' 2013. ISBN: 978-81-923628-1-6.
31. Patil, Sachinkumar, S. S. Patil, T. V. Sathe. 2013. Limnological Status of Khanapur freshwater reservoir from Ajara Taluk, Kolhapur District (MS), India. IJSE, Vol. 2 (6): 1163-1174.
32. Jayabhave, U.M., Pentewar M.S., & Hiware, C.J., 2008. A study on physico-chemical parameters of a minor reservoir, Sawana, Hingoli District, Maharashtra. J. Aquat. Biol., 2008, 23(2): 56-60.
33. Wetzel, R. G. 2001. Limnology: Lake and River Ecosystems (3rd Ed.). San Diego, CA: Academic Press.
34. Patil, Sachinkumar, S. S. Patil, T. V. Sathe. 2013. Limnological Status of Khanapur freshwater reservoir from Ajara Taluk, Kolhapur District (MS), India. IJSE, Vol. 2 (6): 1163-1174.
35. Patil, Rahul & Patil, Sachinkumar & Sawant, Rajaram. 2015. Limnological Status of Maligre Freshwater Reservoir of Ajara Taluk, Kolhapur District (MS), India. The International Journal of Science and Technoledge. 3: 113-116.
36. Patil, S. R., Sawant, R. S., Patil, S. S., Sathe, T. V. and Patil, R. S. 2013. Avian fauna and Physico-chemical Parameters of Gajargaon Pond of Ajara Taluk, Kolhapur (M. S.). Rasayan J. Chem. 6(1): 76-79.

PRINCIPAL

WEBLIOGRAPHY:

- <https://www.water-research.net/index.php/ph-in-the-environment>
- <http://sciencefairwater.com/chemical-water-quality-parameters/primary-anions-and-cations/hardness/>
- <http://sciencefairwater.com/chemical-water-quality-parameters/ph/alkalinity/>



A handwritten signature in black ink, appearing to read "Nutan Mahavidyalaya Principal".

PRINCIPAL
Nutan Mahavidyalaya
SELU, Dist. Purnia